



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

非限制性货物

样品名称 : 密封铅酸蓄电池, 阀控式铅酸蓄电池, 胶体蓄电池, 4-EVF-153 8V153Ah

Sample Name: Sealed Lead Acid Battery, Valve Regulated Lead Acid Battery, 4-EVF-153 8V153Ah

委托单位 : 天能电池集团股份有限公司
Tianneng Battery Group Co., Ltd

生产单位 : 天能电池集团股份有限公司
Tianneng Battery Group Co., Ltd



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600710082431

Page 1 / 3

样品名称 Sample Name	中文 Chinese	密封铅酸蓄电池, 阀控式铅酸蓄电池, 胶体蓄电池, 4-EVF-153 8V153Ah
	英文 English	Sealed Lead Acid Battery, Valve Regulated Lead Acid Battery, 4-EVF-153 8V153Ah
委托单位 Applicant	天能电池集团股份有限公司 Tianneng Battery Group Co., Ltd	
生产单位 Manufacturer	天能电池集团股份有限公司 Tianneng Battery Group Co., Ltd	
检验方法、程序 Inspection Methods and Procedures	国际海事组织《国际海运危险货物规则》(2024版) IMO International Maritime Dangerous Goods Code (2024 Edition)	
样品外观与气味 Appearance & Odor	多种颜色塑胶外壳, 无臭 Multicolor Plastics cement shell, Odorless	
IDENTIFICATION 鉴定结论 CONCLUSION	1. 危险性识别 (Hazards identification) 无。 None.	
	2. 海运按照IMO IMDG Code办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定238, 可按非限制性货物条件办理。 The product is not subject to IMO IMDG Code according to special provision 238.	
IDENTIFICATION 鉴定结论 CONCLUSION	3. 包装类别 (Packing Group) 无。 None.	
	检验日期: 2025-11-27 签发日期: 2025-11-28 生效日期: 2026-01-01 Inspection Date: Issue Date: Effective Date:	
备注 Comment	/	

批准
Approver:

王军

审核
Checker:

钱玉婷

主检
Appraiser:

孙倩



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600710082431

Page 2 /3

序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
3	振动试验 Vibration test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
6	压差试验 Pressure differential test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
9	55℃漏液试验 Leakage test at 55℃	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
备注 Comment		电池必须具有适当的防短路措施,若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.			


海
日
收

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600710082431

Page 3 /3



报告结束